
Element Z	General Design Requirements
Room Standards	Z4045 Working Mothers Rooms

PART 1 - GENERAL

1.01 OVERVIEW

- A. Design and construction criteria for working mothers rooms at The University of Texas MD Anderson Cancer Center (Owner). Working Mothers rooms are intended to provide comfortable, private spaces for use by women who are nursing.

PART 2 - DESIGN CRITERIA

2.01 GENERAL

- A. 2012 Texas Accessibility Standards (TAS), Elimination of Architectural Barriers, Texas Government Code, Chapter 469, shall be adhered to for accessibility aspects of the design.
- B. The number of cubicles/individuals to be accommodated in the room at one time shall be confirmed from the building program or Owner's Project Manager. Access to the room shall be controlled by card reader.
- C. Working mothers rooms shall provide the following for common use by female occupants: base cabinet, wall cabinet, accessible under-counter refrigerator, full length wall- mounted mirror, marker/tack board, and lockers. Rooms designed to accommodate more than one person at a time shall provide 5' wide, minimum, cubicles with draw curtains on one or more sides.
- D. The room's base cabinet shall be plastic laminate covered, with doors/drawers, and solid surface material counter top and splash. Provide an integral solid surface sink in the cabinet. The wall cabinet shall be plastic laminate covered. Items on the wall above the counter shall include paper towel dispenser, soap dispenser, and GFCI electrical outlets. Additionally, under-counter lighting shall be provided if budget permits.
- E. 24" high x 12" wide x 18" deep phenolic shall be provided in a quantity equal to three times the number of cubicles in the room. Provide three lockers in single-user rooms. Provide hasp or provisions for portable locks.
- F. Provide track mounted curtains on at least one side of individual cubicles, electrical receptacle above side table, and a wall sconce light with wall switch. Provide electrical outlet for each area. Each cubicle shall accommodate an Owner-provided chair. Provide similar electrical receptacles and furnishings for single-user rooms.

Element Z

General Design Requirements

Room Standards

Z4045 Working Mothers Rooms

PART 3 - DOCUMENT REVISION HISTORY

Issue	Date	Revision Description	Reviser
	20190301	Original Issuance	
Rev. 1			
Rev. 2			
Rev. 3			
Rev. 4			
Rev. 5			

END OF ELEMENT Z4045